

**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

---

**EC COMPLIANCE REPORT**  
**For Expansion of Cement Plant (0.297 to 1.26 MTPA)**  
**& Clinker Production (0.280 to 1.20 MTPA)**  
**From June 2021 to November 2021**  
**MOEF Environmental clearance Environment & Forests I.A Division vide their**  
**F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

Prepared By:

**Universal Enviro Associates, Hyderabad.**

**Accredited by NABL (TC-6239)**



Universal Enviro Associates



*T. Krishna*  
(T Krishna)  
Technical Manager

Page 1

M/s. Parasakti Cement Industries Limited.,

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007

**COMPLIANCE STATEMENT For EC CLEARANCE issued by Government of India Ministry of Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007, for Expansion of Cement Plant (0.297 To 1.26 MTPA) & Clinker Production (0.280 MTPA to 1.20 MTPA) at Jettipalem, Rentachintala, Guntur, Andhra Pradesh by M/s. Parasakti Cement Industries Ltd.**

**A. Specific Conditions:**

<b>A. SPECIFIC CONDITIONS</b>		
	<b>Condition</b>	<b>Compliance</b>
I	The gaseous and particulate matter emissions from various units shall conform to the standards prescribed by the A.P. Pollution Control Board. At no time, the particulate emissions from the cement plant shall exceed APPCB limit. Interlocking facility shall be provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit(s) is shut down automatically.	Equipment installed to control the gaseous and particulate matter emissions from various units and the emissions from these units conform to the standards prescribed by the A.P. Pollution Control Board. <b>(Data sheet annexed-1)</b> . We will ensure that at no time, the particulate emissions from the cement plant shall exceed APPCB limit. Interlocking facility is provided in the pollution control equipment so that in the event of the pollution control equipment not working, the respective unit is shut down automatically.
II	Continuous monitoring system to monitor gaseous emissions shall be provided and limit of SPM shall be controlled within 30 mg/Nm <sup>3</sup> by installing adequate air pollution control system On-line monitoring data shall be submitted to the APPCB and CPCB regularly.	Continuous monitoring system to monitor gaseous emissions from Kilns, Coolers, Coal mills & Cement Mills are provided and commissioned. The emission is less than 30mg/Nm <sup>3</sup> . <b>(Data sheet annexure-2)</b> . On-line monitoring data being provided to the APPCB and CPCB regularly.



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

	<b>Condition</b>	<b>Compliance</b>
III	One ambient air quality monitoring station shall be installed in downwind direction. Ambient air quality including ambient noise levels shall not exceed the standards stipulated under EPA or by the State authorities. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with APPCB and report submitted to the APPCB quarterly and to the Ministry's Regional Office at Chennai half-yearly.	One on line Ambient air quality station installed in the downward direction. Ambient Air quality including ambient noise levels are maintained within the stipulated standards under EPA or by the State authorities. Monitoring of ambient air quality and stack emissions are carried out regularly and report is being submitted to the APPCB quarterly and to the Ministry's Regional Office at Chennai half-yearly. <b>(Data sheet annexure -3)</b> <b>(Data sheet annexure -7)</b> <b>(Data sheet annexure -8)</b>
IV	Secondary fugitive emissions shall be controlled within the permissible limits as per the latest CPCB guidelines. The company shall install adequate dust collection and extraction system to control fugitive dust emissions at various transfer points, raw mill handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. Asphaltting / concreting of roads and water spray all around the stockyard and loading / unloading areas shall be carried out to control fugitive emissions. Storage of raw material shall be in closed roof sheds. A closed clinker stockpile system shall be provided.	Secondary fugitive emissions are being controlled within the permissible limits as per the latest CPCB guidelines, installed dust collection and extraction systems at all transfer points, raw mill handling (unloading, conveying, transporting, stacking), vehicular movement, bagging and packing areas etc. Concrete roads are laid and water spray all around the stockyard and loading / unloading areas is being carried out to control fugitive emissions. Storage of raw materials is in closed roof sheds. A closed clinker stockpile system is provided. Plantation is raised around the storage facilities.



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

	<b>Condition</b>	<b>Compliance</b>
V	Total water requirement from the ground water source shall not exceed 210 m <sup>3</sup> /day. All the treated wastewater shall be recycled and reused in the process and / or for dust suppression, green belt development and other plant related activities etc. No process wastewater shall be discharged outside the factory premises and 'zero' discharge shall be adopted. Domestic effluent treated in Sewage Treatment Plant (STP) shall be used for greenbelt development within the plant and colony area.	Total water requirement from the ground water source is below 160 m <sup>3</sup> /day. No waste water is generated in the process. Domestic effluent is treated in Sewage Treatment Plant (STP) and the discharged treated effluent is being utilized for greenbelt development. Quantity of STP input and out water <b>data annexure -4</b>
VI	All the recommendations mentioned in the Ground Water Survey Report of Water Works Department, Govt. of A.P. shall be ensured.	All the recommendations are being ensured.
VII	Efforts shall be made to use more fly ash and solid waste in the cement manufacturing. All the cement dust collected from pollution control devices shall be recycled and reused in the process. Refractory bricks shall be sold to authorized agencies. Used oil shall be sold to authorized recyclers / re-processors only.	Fly ash is being used for the production of PPC. All the cement dust collected from pollution control devices is being recycled and reused in the process. Used refractory bricks are sold to authorized agencies. Used oil is sold to authorized recyclers / re-processors only.
VIII	Efforts shall be made to use high calorific hazardous waste in the cement kiln; Accordingly, provision shall be made in the kiln.	Efforts are being put to procure the same. Provision is made in the kiln to utilize high calorific hazardous waste.
IX	Green belt shall be developed in at least 14 ha. (33%) out of total 42-ha. Area as per CPCB guidelines in consultation with local DFO.	So far 14.5 hectares area is brought under green belt.
X	The company must harvest the rainwater from the rooftops and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	We have made 4 rain water harvesting pits within the cement plant and colony.



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

	<b>Condition</b>	<b>Compliance</b>
XI	The company shall undertake eco-development measures including community welfare measures in the project area.	Plantation is raised along the approach roads and in the Jettipalem Village. Community welfare measures taken up viz, Sanitary works, medical camps (Human and Animal) are organized periodically in the nearby villages. School children in the surrounding villages are provided with note books and class room furniture every year.
XII	A study on impact of cement plant on the health of nearby villagers shall be carried out and report submitted to the Ministry and its Regional Office at Chennai.	The study on impact of cement plant on the health of nearby villagers will be carried out and report will submitted to the Ministry and its Regional Office at Chennai.
XIII	All recommendations made in the Corporate Responsibility for Environment Protection (CREP) for cement plants shall be implemented.	Recommendations made in the Corporate Responsibility for Environment Protection (CREP) for cement plants are being implemented.
XIV	All the recommendations of the State Forest Department obtained due to impact of the proposed Cement Plant on Goli RF, Malkacharla RF, Rajawaram RF, Advidevarapalli RF, Puruvemula RF, Virdhpalan RF, Diada RF etc. shall be implemented.	Forest department vide their letter dated 3.10.2007, has informed that there will not be any effect on flora and fauna with the expansion of the industry. <b>(Letter annexure -5)</b>
XV	Clearance from the National Board for Wildlife under Wildlife (Protection) Act, 1972 shall be obtained prior to the commencement of construction activity of the cement plant at site since the project is located within 10 km. of the Rajiv Gandhi Wild Life Sanctuary.	Clearance from National board for wildlife obtained. <b>(Data sheet annexure -6)</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

<b>B.GENERAL CONDITIONS:</b>		
	<b>Condition</b>	<b>Compliance</b>
<b>B. GENERAL CONDITIONS</b>		
I	The project authority must adhere to the stipulations made by A.P. State Pollution Control Board (APPCB) and State Government.	All the stipulations made by APPCB and state government are adhered
II	No further expansion or modification of the plant shall be carried out without prior approval of this Ministry.	Will be followed.
III	At least four ambient air quality monitoring stations shall be established and one in the downward direction as well as where maximum ground level concentration of SPM, SO <sub>2</sub> and NO <sub>x</sub> are anticipated in consultation with the APPCB. Data on ambient air quality and stack emissions shall be regularly submitted to this Ministry including its Regional Office at Chennai and APPCB once in six months.	Monitoring of AAQ (at 4 locations), stack emissions is being carried out regularly by third party and the values are well within the limits, are being submitted regularly to regional office, Chennai and APPCB. <b>(Data sheet annexure -7)</b> <b>(Data sheet annexure -1)</b>
IV	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose	No Industrial wastewater is generated.
V	The overall noise levels in and around the plant area shall be kept well within the standards (85 DBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environmental(Protection) Act, 1986 Rules, 1989 viz. 75 dBA(day time) and 70 dBA(night time).	Noise levels are being maintained within the norms. Personal protective equipment are provided to the persons working the noise zones. <b>(Data sheet annexure -8)</b>
VI	Proper housekeeping and adequate occupational health programmes must be taken up. Occupational Health Surveillance programme shall be done on a regular basis and records maintained. The programme must include lung function and sputum analysis tests once in six months.	Good housekeeping is maintained and adequate occupational health programmes are conducted. Occupational Health Surveillance programme is being done on regular basis.
VII	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP.	Complied.



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

	<b>Condition</b>	<b>Compliance</b>
VIII	A separate environmental management cell with full-fledged laboratory facilities to carry out various management and monitoring functions shall be set up under the control of Senior Executive.	Environment management cell with laboratory stack & ambient monitoring facilities is set up under the control of Unit head.
IX	As mentioned in the EIA/EMP, Rs.10.20 Crores and Rs.0.54 Crores earmarked towards the total cost and recurring cost/annum for implementing environmental pollution control measures shall be judiciously used to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds so provided shall not be diverted for any other purpose.	As mentioned in the EIA/EMP, spent Rs.10.20 Crores earmarked towards the total cost and Rs.0.54 Crores earmarked for recurring cost/annum for implementing environmental pollution control measures will be judiciously used to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds provided will not be diverted for any other purpose.
X	The Regional Office of this Ministry at Chennai / Central Pollution Control Board / A.P. Pollution Control Board shall monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation should be submitted to them regularly.	Six monthly compliance reports and the monitored data along with statistical interpretation are submitted to Regional Office, MOEF, Chennai / APPCB regularly. <b>(Data sheet annexure -10)</b>
XI	The Project Authorities should inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date to commencing the land development work.	Financial closure and final approval of the Project is 03.08.2007 and accordingly informed.
XII	The Project Authorities shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the A.P. Pollution Control Board / Committee and may also be seen at Website of the Ministry of Environment and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office.	Advertised in the following 2 newspapers. 1. Eenadu Telugu daily dated 24.07.2007 2. The Hindu English daily dated 24.07.2007.



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-1**

LINE-2 STACK EMISSIONS								
Month	Raw Mill Vent-2	Kiln-2	Sulphur Di-Oxide (SO <sub>2</sub> )	Oxides of Nitrogen (NO <sub>x</sub> )	Cooler-2	Coal Mill-2	Cement Mill-2	Cement Mill Vent-2
Limit	30	30	100	800	30	30	30	30
JUN'21	21.80	23.90	40.60	381	20.30	21.80	22.70	20.60
JUL'21	23.70	19.70	35.30	376	21.40	22.70	23.30	22.70
AUG'21	22.90	21.20	37.90	389	22.30	24.60	24.60	21.80
SEP'21	21.60	22.90	35.20	396	23.80	25.70	23.10	22.70
OCT'21	22.80	23.10	37.10	399	21.90	22.30	23.70	22.10
NOV'21	24.60	22.60	36.90	388	23.10	20.70	21.80	23.70
<b>Min.</b>	<b>21.60</b>	<b>19.70</b>	<b>35.20</b>	<b>376</b>	<b>20.30</b>	<b>20.70</b>	<b>21.80</b>	<b>20.60</b>
<b>Max.</b>	<b>24.60</b>	<b>23.90</b>	<b>40.60</b>	<b>399</b>	<b>23.80</b>	<b>25.70</b>	<b>24.60</b>	<b>23.70</b>
<b>AVG.</b>	<b>22.90</b>	<b>22.23</b>	<b>37.17</b>	<b>388</b>	<b>22.13</b>	<b>22.97</b>	<b>23.20</b>	<b>22.27</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)  
Rentachintala (M),  
Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-2**

**EC: F NO: J-11011/351/2006-1A .II -(1)dt: 17.07.2007**

**Compliance Plant: Specific Condition (ii)**

**LINE-2 ONLINE STACK EMISSIONS**

Month	Kiln-2		Sulphur Di-Oxide(SO <sub>2</sub> )		Oxides of Nitrogen (NO <sub>x</sub> )	
	MIN	MAX	MIN	MAX	MIN	MAX
JUN'21	11.27	28.24	0.00	27.76	283.43	434.65
JUL'21	0.00	10.96	0.00	14.90	0.00	383.22
AUG'21	2.78	18.77	0.00	36.76	205.85	401.75
SEP'21	5.79	19.32	0.00	29.85	228.05	396.77
OCT'21	0.00	9.53	0.00	8.93	0.00	335.29
NOV'21	0.00	24.63	0.00	8.66	0.00	434.30
<b>Min</b>	<b>0.00</b>	<b>9.53</b>	<b>0.00</b>	<b>8.66</b>	<b>0.00</b>	<b>335.29</b>
<b>Max</b>	<b>11.27</b>	<b>28.24</b>	<b>0.00</b>	<b>36.76</b>	<b>283.43</b>	<b>434.65</b>
<b>AVG</b>	<b>3.31</b>	<b>18.58</b>	<b>0.00</b>	<b>21.14</b>	<b>119.56</b>	<b>397.66</b>
Month	Cooler-2		Coal Mill-2		Cement Mill-2	
	MIN	MAX	MIN	MAX	MIN	MAX
JUN'21	3.54	22.24	0.59	1.98	0.00	3.23
JUL'21	0.04	11.49	0.48	2.40	0.00	1.86
AUG'21	4.26	20.17	0.89	2.47	0.00	6.37
SEP'21	6.72	21.48	0.69	3.25	0.00	1.10
OCT'21	0.00	10.5	0.00	2.82	0.06	1.48
NOV'21	0.00	27.24	0.00	12.00	0.00	0.85
<b>Min</b>	<b>0.00</b>	<b>10.50</b>	<b>0.00</b>	<b>1.98</b>	<b>0.00</b>	<b>0.85</b>
<b>Max</b>	<b>6.72</b>	<b>27.24</b>	<b>0.89</b>	<b>12.00</b>	<b>0.06</b>	<b>6.37</b>
<b>AVG</b>	<b>2.43</b>	<b>18.85</b>	<b>0.44</b>	<b>4.15</b>	<b>0.01</b>	<b>2.48</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-3**

**EC: F NO: J-11011/351/2006-1A .II -(1)dt: 17.07.2007  
Specific Condition (ii)**

<b>AAQ AT PLANT</b>				
Month	PM10		PM <sub>2.5</sub>	
Limit	MIN	MAX	MIN	MAX
JUN'21	12.69	91.60	17.84	23.11
JUL'21	20.50	46.77	9.27	24.03
AUG'21	12.69	53.03	17.46	24.91
SEP'21	35.11	59.02	12.85	20.65
OCT'21	15.68	58.69	15.66	22.64
NOV'21	35.60	66.03	16.58	21.38
<b>Min</b>	<b>12.69</b>	<b>46.77</b>	<b>9.27</b>	<b>20.65</b>
<b>Max</b>	<b>35.60</b>	<b>91.60</b>	<b>17.84</b>	<b>24.91</b>
<b>AVG</b>	<b>22.05</b>	<b>62.52</b>	<b>14.94</b>	<b>22.79</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-4**

**EC: F NO: J-11011/351/2006-1A .II -(1)dt: 17.07.2007**

**Specific Condition (ii)**

WASTEWATER STP INLET							WASTEWATER STP OUT LET					
Month	PH	TDS	TSS	COD	BOD	Oil & Grease	Month	PH	TDS	TSS	Oil & Grease	BOD
							<b>Limit</b>	<b>6.5-9.0</b>	<b>mg/L</b>	<b>&lt;100 mg/L</b>	<b>10 mg/L</b>	<b>30 mg/L</b>
JUN'21	7.21	1323	186	129	33.60	4.80	JUN'21	7.51	1129	25.6	1.70	14.10
JUL'21	7.39	1412	199	137	37.30	5.20	JUL'21	7.49	1159	27.1	1.90	13.20
AUG'21	7.46	1489	212	141	39.30	5.40	AUG'21	7.51	1178	28.3	2.10	14.10
SEP'21	7.47	1523	241	147	37.20	5.60	SEP'21	7.57	1212	29.6	2.40	14.70
OCT'21	7.49	1561	239	141	35.30	5.40	OCT'21	7.51	1202	27.3	2.30	14.90
NOV'21	7.52	1589	246	139	34.10	5.60	NOV'21	7.49	1229	26.8	2.50	15.30
<b>Min</b>	<b>7.21</b>	<b>1323</b>	<b>186</b>	<b>129</b>	<b>33.60</b>	<b>4.80</b>	<b>Min</b>	<b>7.49</b>	<b>1129</b>	<b>25.60</b>	<b>1.70</b>	<b>13.20</b>
<b>Max</b>	<b>7.52</b>	<b>1589</b>	<b>246</b>	<b>147</b>	<b>39.30</b>	<b>5.60</b>	<b>Max</b>	<b>7.57</b>	<b>1229</b>	<b>29.60</b>	<b>2.50</b>	<b>15.30</b>
<b>AVG</b>	<b>7.42</b>	<b>1483</b>	<b>221</b>	<b>139</b>	<b>36.13</b>	<b>5.33</b>	<b>AVG</b>	<b>7.51</b>	<b>1185</b>	<b>27.45</b>	<b>2.15</b>	<b>14.38</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

EC: F.No: J-11011/351/2006-1A. (II) - (I).

dt: 17.07.07.

ANNEXURE -5,

GOVERNMENT OF ANDHRA PRADESH  
FOREST DEPARTMENT

Sp. Condition: (xiv)

From:

To:

Sri A. Narasimha Murthy, SFS  
Divisional Forest Officer,  
Wildlife Management,  
Nagarjunasagar.

The Principal Chief Conservator of  
Forests (Wild Life) &  
Chief Wildlife Warden (AP),  
HYDERABAD.

Rc.No.2068/2006/DM, Dt:03.10.2007

Sir,

Sub:- Parasakti Cement Industries Ltd., - Expansion of the Plant at  
Jettipalem Village Rentachintala Mandal, Guntur District -  
Remarks Submitted - Reg.

Ref:- 1. Prl.CCF, (WL) Rc.No.36338/2007/WL-1, Dt:09.08.2007.  
2. Prl.CCF, AP, Hyd, Ref.No.36317/2001/F3, Dt:04.12.2001.

\*\*\*\*\*

It is submitted that, as per the instructions issued in the above cited reference, I have visited the areas of M/s Parasakti Cement Industries Limited, at Jettipalem (V) in Guntur District on 22.09.2007 and evaluated the impact of the factory activities on the sanctuary areas.

In this regard, it is submitted that, the factory is located about 6 Kms from the boundary of the Tumurukota RF, which is part of Wildlife Sanctuary. This part of the sanctuary is devoid of much tree growth and mainly constitutes scrub jungle. The density of Wildlife also is very low. And there will not be any effect on the flora and fauna, with the expansion of this industry.

It is further submitted that, vide in the above cited reference 2, a plan has been prepared for Eco-Development and other activities to mitigate the effects of the cement plant. It was also approved by the Chief Wildlife Warden (Andhra Pradesh). According to the plan, the user agency has to deposit the following amounts in the name of Divisional Forest Officer, Wildlife Management, Nagarjunasagar to implement the Plan.



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

1. Afforestation Scheme	Rs.18.27 Lakhs
2. Fodder development	Rs. 0.96 Lakhs
3. SMC Works	Rs. 4.77 Lakhs
Total:-	<u>Rs.24.00 Lakhs</u>

Now, the MOEF accorded environmental clearance for the expansion of the Cement Plant, as well as mining capacity and mining areas, subjected to certain specific and general conditions.

As per the conditions stipulated, conservation measures for protection of flora and fauna shall be prepared and implemented, with the funds provided by the user agency.

Hence, keeping the flora and fauna exists in the Tumurukota RF areas, a scheme has been prepared for a period of 3 years from 2007-2008 to 2009-10, with an outlay of Rs.15.004 (or 15.00 Lakhs) Lakhs as follows.


1. Preferential treatment	Rs. 4.1763 Lakhs
2. Aided Natural Regeneration	Rs. 5.8380Lakhs
3. Pasture Plots	Rs. 2.0986Lakhs
4. SMC Works	Rs. 1.6030Lakhs
5. Fire Protection	Rs. 0.8890 Lakhs
6. Saucer Pits	Rs. 0.4000 Lakhs
Total	<u>Rs.15.004 Lakhs</u> <u>or 15.00 Lakhs</u>

Here with I am enclosing scheme proposals, copies of the MOEP, GOL, approvals for the expansion of Cement Plant and mining areas. I request the Principal Chief Conservator of Forests (Wild Life) to examine and take necessary further action.

Encl: As above

Copy submitted to the Conservator of Forests & field Director, Project- Tgr. Srisaigam for favour of information.

Yours faithfully,

  
Divisional Forest Officer,  
Wildlife Management,  
Nagarjunasagar.



M/s. Parasakti Cement Industries Limited.,

Jettipalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007

GOVERNMENT OF ANDHRA PRADESH  
FOREST DEPARTMENT

From  
Sri Hitesh Malhotra, IFS,  
Pri. Chief Conservator of Forests (WL) &  
Chief Wildlife Warden, A.P.,  
Aranya Bhavan, Salfabad,  
Hyderabad.

To  
The General Manager,  
Parasakti Cement Industries Ltd.,  
301, 3rd floor, Manjeera Square,  
Opp. Prime Hospital, Ameerpet,  
Hyderabad - 500 038.

Ref.No.36338/2007-WL1, Dated: 09-02-2010.

Sir,

Sub:- Establishment of Cement Plant and Captive Limestone Mine at Jettipalem Village, Rentachintala Mandal, Guntur District A.P. - Regarding

Ref:- DIG (WL) GOI MoEF (Wildlife Division) F.No.6-43/2007-WL-1 (Dt-viii), dated 31-12-2009.

With reference to your proposal for expansion of your Cement Plant from 0.297 MTPA to 1.26 MTPA and lime stone mining to produce lime stone from 0.45 MTPA to 1.8 MTPA was discussed by the Standing Committee of the National Board for Wildlife in its 17th Meeting on 22-12-2009. You are informed that National Board has cleared your proposal for the proposed expansion.

A copy of the minutes of meeting received from DIG (WL), Government of India are enclosed herewith for your information.

Yours faithfully,  
Sd/- Hitesh Malhotra,  
Pri. Chief Conservator of Forests (WL)

/True copy/

for Pri. Chief Conservator of Forests (WL)

*Amma*  
*9/2/2010*

ANNEXURE-6

EC: F NO: J-11011/351/2006-1A-II-(I)

DT: 17.07.2007

Specific Condition XIV



M/s. Parasakti Cement Industries Limited.,

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007

F. No. 6-43/2007 WL-I (pr-viii)  
Government of India  
Ministry of Environment & Forests  
Wildlife Division

Paryavaran Bhawan  
CGO Complex, Lodi Road,  
New Delhi -110003  
Dated: 31.12.2009

To

The Chief Wildlife Warden,  
Department of Forests,  
Government of Andhra Pradesh,  
Tulja Bhawan, APHB Building,  
M.J Market; Hyderabad -500004.

Sub: 17<sup>th</sup> meeting of the Standing Committee of NBWL- consideration of proposal-reg.

Sir,

During the 17<sup>th</sup> meeting of Standing Committee of NBWL held on 22<sup>nd</sup> December 2009 under the Chairmanship of Hon'ble Minister of State (Independent Charge) for Environment & Forests, the following proposals pertaining to your State was considered. The relevant portions of the decision taken in respect of the proposals are reproduced below:

**"1. Agenda items by Dr. Asad Rahmani:**

**(a) Nowapada Swamps**

The Member-Secretary informed that Dr. Asad Rahmani and Dr. Asha Rajwanshi, Scientist, Wildlife Institute of India had conducted site inspection of Nowapada Swamps in Andhra Pradesh and the report had been circulated amongst the members. Hon'ble Chairman, thereafter, requested Dr. Asad Rahmani to brief on the site inspection report. Dr. Rahmani mentioned that the Nowapada Swamp area was an excellent habitat for migratory birds, and was classified as Important Bird Area. The entire area within the bounds of the projects starting from the approach road to project site is a marshland. State Forest Department has erected a watch tower and bird observatory after acquiring land. Environment Impact Assessment report has ignored the bio-diversity value of the area. Presently, project authorities have brought down their land requirement to 1795 acres excluding some marsh lands. While Andhra Pradesh Industrial Infrastructure Corporation Ltd. has identified about 3409 acres out of which 2500 acres is allotted to East Coast Energy for Thermal Power Project which have been reduced to 2050 acres, out of which 1000 acres was earmarked for raising & filling for power plant block, ash pond and auxiliary structures. Visiting team has recommended that no additional infrastructure should be planned in this area for receiving coal and proposal for constructing a Jetty should be dropped.

Contd/..2



(2)

After discussions, the Committee unanimously approved the recommendations and decided to forward the suggestions and conditions proposed by the Site Inspection Team to the State Government for consideration including declaring the area as Conservation Reserve.

**(b) Lankamalleshwara Sanctuary**

The Chief Wildlife Warden, Andhra Pradesh informed the Committee that the State Government had already acquired an area to the extent of 3263.75 acres which had been handed over to the Divisional Forest Officer, Kaddappa and that the State Government has fully complied to the directions of the Central Empowered Committee. There was no obligation on State Government to provide additional land. He also requested to delink this proposal from other proposals.

The Committee after discussion, decided to go by the information provided by the Chief Wildlife Warden, Andhra Pradesh and to drop this agenda item.

**(c) Kolleru Lake Sanctuary**

The Member Secretary informed the Committee that the report of the State Chief Wildlife Warden had been received and was circulated to the members. Hon'ble Chairman desired as to whether the letter regarding use of CAMPA money for land acquisitions had been issued or not. The Member Secretary informed that a letter from the Forest Conservation Division had already been sent. Thereafter, the Chief Wildlife Warden, Andhra Pradesh informed that the proposal for reduction of boundary of Kolleru Sanctuary from +5 contour to +3 contour was considered by the State Board for Wildlife wherein it was decided that if it was not possible for the Government of India to provide funds for compensation against land to be acquired, then it should allow to reduce the Sanctuary from +5 to +3 contours as per the Assembly resolution.

The Chairman decided to visit the site before taking a final view in the matter.

**2. Diversion of 1016 ha of forestland from Sri Penusilla Narasimha Wildlife Sanctuary for Somasila Dam, Andhra Pradesh.**

The Member-Secretary informed that the site inspection report for the said proposal was considered during the last meeting. However, the Chief Wildlife Warden, Andhra Pradesh had taken objection to the condition no. (i) regarding addition of equal amount of land to the Sanctuary for conservation of the Jerdon's Courser.

The Chief Wildlife Warden, Andhra Pradesh informed the Committee that this matter was linked with the earlier discussed issue of Lankamalleshwara Sanctuary. He reiterated that the State Government had already acquired an area to the extent of 3263.75 acres and has been handed over to the Divisional Forest Officer, Kaddappa and that further addition was not required at this point.

The Committee, after discussions, decided to recommend the proposal with conditions as approved by the Chief Wildlife Warden.

Contd/...3



6. Diversion of forestland from Eturunagaram Wildlife Sanctuary for improvement of existing road from Km No. 215/0 Pasra to 231/0 Tadvai and 236/0 to 247/0 Eturunagaram Checkpost of Hyderabad - Bhoopalpatnam section of National High Way 202 in Warangal District, in favour of EE (R&B) National High Ways Division, Warangal, Andhra Pradesh.


The Member-Secretary informed the Committee that the proposal was earlier considered by the Standing Committee of NBWL in its meeting held on 10<sup>th</sup> September 2007, wherein, it was decided that the project proponents should revise the proposal in the light of the studies conducted by the Wildlife Institute of India.

The Chief Wildlife Warden, Andhra Pradesh mentioned that the proponents had revised the proposal in accordance with the guidelines issued by the Wildlife Institute of India.

The Committee, after discussions, unanimously decided to recommend the proposal subject to compliance of the conditions prescribed by the Chief Wildlife Warden, Andhra Pradesh, i.e, widening of the road only upto 7 meter BT width and compliance of all the conditions detailed in the proposal of R & B Department."

The above recommendation(s) are subjected to the existing directives of Hon'ble Supreme Court and provisions of Forests (Conservation) Act, 1980.

Yours Faithfully,

  
(Dr. Anmol Kumar)  
Deputy Inspector General (WL)

Copy to:

1. The Principal Secretary (Forests), Department of Forests, Government of Andhra Pradesh.
2. Regional Chief Conservator of Forests, Ministry of Environment & Forests, Regional Office (SZ), Kendriya Sadan, 4<sup>th</sup> Floor E&F Wings, 17<sup>th</sup> Main Road, 1 Block, Koranmangala, Bangalore -560034.
3. Sri. K. Vijayadityan, M.Tech, Superintending Engineer, Somasila Project Circle, Nellore-3 Andhra Pradesh -500004.
4. The Superintending Engineer (I&CAD), Irrigation Circle, Chittoor-517001.
5. The Director, Parasakti Cement Industries Ltd., 301, 3<sup>rd</sup> Floor, Manjeera Square, Opp. Mythri Hospital, Ameerpet, Hyderabad-500038.

  
(Dr. Anmol Kumar)  
Deputy Inspector General (WL)

**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-7**

**EC- F NO-J-11011/351/2006-1A. II- dt: 17.07.2007**

**Gen Condition (iii) & Specific Condition (iii)**

<b>PM<sub>10</sub> Near</b>					<b>PM<sub>2.5</sub> Near</b>				
Month	Security Gate	Cement Mill Area	Crushing Area	Colony Gate	Month	Security Gate	Cement Mill Area	Crushing Area	Colony Gate
Limit	100	100	100	100	Limit	60	60	60	60
JUN'21	66.80	69.30	71.20	63.50	JUN'21	26.90	28.10	28.60	25.40
JUL'21	56.30	57.70	60.40	58.90	JUL'21	22.80	23.50	24.30	23.90
AUG'21	61.60	59.30	62.30	60.30	AUG'21	24.70	23.70	25.20	24.70
SEP'21	62.80	57.10	63.80	62.90	SEP'21	25.70	23.00	25.90	25.70
OCT'21	56.10	52.70	62.70	57.30	OCT'21	22.70	21.10	25.10	23.20
NOV'21	54.60	49.30	60.30	56.20	NOV'21	22.00	20.00	24.70	23.10
<b>Min</b>	<b>54.60</b>	<b>49.30</b>	<b>60.30</b>	<b>56.20</b>	<b>Min</b>	<b>22.00</b>	<b>20.00</b>	<b>24.30</b>	<b>23.10</b>
<b>Max</b>	<b>66.80</b>	<b>69.30</b>	<b>71.20</b>	<b>63.50</b>	<b>Max</b>	<b>26.90</b>	<b>28.10</b>	<b>28.60</b>	<b>25.70</b>
<b>AVG</b>	<b>59.70</b>	<b>57.57</b>	<b>63.45</b>	<b>59.85</b>	<b>AVG</b>	<b>24.13</b>	<b>23.23</b>	<b>25.63</b>	<b>24.33</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V &amp; Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007****Annexure-7**

<b>SO<sub>2</sub> Near</b>					<b>NOX Near</b>				
Month	Security Gate	Cement Mill Area	Crushing Area	Colony Gate	Month	Security Gate	Cement Mill Area	Crushing Area	Colony Gate
Limit	80	80	80	80	Limit	60	60	60	60
JUN'21	16.10	15.90	16.40	14.10	JUN'21	20.10	18.70	22.70	21.30
JUL'21	13.00	12.90	14.60	13.90	JUL'21	16.70	15.90	18.70	19.20
AUG'21	14.20	13.50	16.20	14.10	AUG'21	18.30	18.60	20.10	21.20
SEP'21	15.80	14.60	17.10	13.60	SEP'21	19.60	20.70	21.40	23.10
OCT'21	13.10	11.60	14.20	11.20	OCT'21	18.10	17.90	18.30	17.90
NOV'21	11.60	12.10	13.10	10.90	NOV'21	17.20	18.40	16.20	15.90
<b>Min</b>	<b>11.60</b>	<b>11.60</b>	<b>13.10</b>	<b>10.90</b>	<b>Min</b>	<b>16.70</b>	<b>15.90</b>	<b>16.20</b>	<b>15.90</b>
<b>Max</b>	<b>16.10</b>	<b>15.90</b>	<b>17.10</b>	<b>14.10</b>	<b>Max</b>	<b>20.10</b>	<b>20.70</b>	<b>22.70</b>	<b>23.10</b>
<b>AVG</b>	<b>13.97</b>	<b>13.43</b>	<b>15.27</b>	<b>12.97</b>	<b>AVG</b>	<b>18.33</b>	<b>18.37</b>	<b>19.57</b>	<b>19.77</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)  
Rentachintala (M),  
Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-8**

**EC- F NO-J-11011/351/2006-1A. II- dt: 17.07.2007  
Gen Condition (iii) & Specific Condition (iii)**

<b>Noise Level</b>											
<b>Raw Mill</b>			<b>Q.C Laboratory</b>			<b>Time Office</b>			<b>Colony</b>		
Month	Day time	Night time	Month	Day time	Night time	Month	Day time	Night time	Month	Day time	Night time
Limit	62.10	56.80	Limit	75.00	70.00	Limit	75.00	70.00	Limit	75.00	70.00
JUN'21	63.90	55.10	DEC'20	55.20	44.90	JUN'21	58.60	42.70	JUN'21	42.30	40.10
JUL'21	64.60	56.90	JAN'21	54.10	43.90	JUL'21	57.30	41.60	JUL'21	41.60	41.10
AUG'21	63.60	54.80	FEB'21	53.90	45.10	AUG'21	58.60	40.30	AUG'21	42.30	40.90
SEP'21	62.90	53.90	MAR'21	52.70	44.30	SEP'21	59.30	41.20	SEP'21	41.60	41.70
OCT'21	61.30	52.90	APR'21	51.60	42.90	OCT'21	58.30	40.60	OCT'21	42.70	41.60
NOV'21	<b>61.30</b>	<b>52.90</b>	MAY'21	52.40	43.70	NOV'21	57.10	41.80	NOV'21	43.10	42.60
<b>Min</b>	<b>64.60</b>	<b>56.90</b>	<b>Min</b>	<b>51.60</b>	<b>42.90</b>	<b>Min</b>	<b>57.10</b>	<b>40.30</b>	<b>Min</b>	<b>41.60</b>	<b>40.10</b>
<b>Max</b>	<b>63.07</b>	<b>55.07</b>	<b>Max</b>	<b>55.20</b>	<b>45.10</b>	<b>Max</b>	<b>59.30</b>	<b>42.70</b>	<b>Max</b>	<b>43.10</b>	<b>42.60</b>
<b>AVG</b>	62.10	56.80	<b>AVG</b>	<b>53.32</b>	<b>44.13</b>	<b>AVG</b>	<b>58.20</b>	<b>41.37</b>	<b>AVG</b>	<b>42.27</b>	<b>41.33</b>



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)

Rentachintala (M),


Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

*Annexure-9*

*EC F NO: J-11011/351/2006-1A II (I)*

*Dt: 17.07.2007*




**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)  
 Rentachintala (M),  
 Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**



**M/s. Parasakti Cement Industries Limited.,**


Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**



**M/s. Parasakti Cement Industries Limited.,**


Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**



**M/s. Parasakti Cement Industries Limited.,**


Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)


Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**


**OXIDES OF NITROGEN CONCENTRATION LEVELS**



	Limit	JUN'21	JUL'21	AUG'21	SEP'21	OCT'21	NOV'21	Min	Max	AVG
Security Gate	80	20.10	16.70	18.30	19.60	18.10	17.20	16.70	20.10	18.33
Cement Mill Area	80	18.70	15.90	18.60	20.70	17.90	18.40	15.90	20.70	18.37
Crushing Area	80	22.70	18.70	20.10	21.40	18.30	16.20	16.20	22.70	19.57
Colony Area	80	21.30	19.20	21.20	23.10	17.90	15.90	15.90	23.10	19.77



**Annexure-10**




**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)  
 Rentachintala (M),  
 Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**



**M/s. Parasakti Cement Industries Limited.,**

Jettopalem (V & Post)


Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**

**NOISE LEVELS AT LABORATORY AREA (DB)**



**M/s. Parasakti Cement Industries Limited.,**


Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**



**M/s. Parasakti Cement Industries Limited.,**


Jettopalem (V & Post)

Rentachintala (M),

Guntur (Dist.)-522 421.

**MOEF Environmental clearance Environment & Forests I.A Division vide their F.No J-11011/351/2006-1A. II (I) dated 17<sup>th</sup> July 2007**

**Annexure-10**






THE HINDU

Page 3 dt 24.07.07

Middle & Right of the page.



e with a hut symbolising the problem of housing

id that the Left parties' ultimate goal would be to see to that the Government came down from its stubborn stand and initiated steps for distribution of land to the landless poor.

ig at Congress

He criticised the ruling Congress for trying to create obstacles in all possible ways their land agitation.

Those who sat on indefinite strike included CPI district secretary Kuryadevaraj Nageswara Rao, CPI State committee member Bedupuntti Nageswara Rao. TDP chairman president Gadde Ramohan, general secretary Na-

gul Meera, Swaatantra Samarayodhula Sangham leader Vemulapalli Vamana Rao, CPI (ML) Janasakthi leader Challapalli Srinivasa Rao and others were present.

The agitating Left leaders announced to the gathering that the final fight with the Government with regard to distribution of land to the poor had begun with the commencement of hunger strike.

The Left parties would be conducting camps at all mandal headquarters from Tuesday involving local leaders and cadres in large numbers, the leaders announced.

25

only in a pro forma manner with the Controller Examinations, which can so be downloaded from the J website.

ee particulars

The fee is Rs. 300 (in person) or Rs.350 (in absentia) and has to be paid in the form of a demand draft issued by any nationalised bank and drawn in favour of the Registrar, Andhra University, Sakshapatnam.

Special Correspondent

ONGOLE: Principal District Judge B. Sivasankara Rao on Monday convicted one Dodda Rathaiah for killing his wife and sentenced him to undergo life imprisonment and pay a fine of Rs. 100.

According to public prosecutor I. Mallikarjuna Reddy, Rathaiah fell in love with Suvatha 20 years ago and they got married. They lived in Jayantipet of Chirala with their 11-year-old daughter Sravanthi. He got addicted to alcohol and began harassing his wife for money. He came

home along with a friend Mariadas at noon on the fateful day of December 4, 2005 to drink at home.

The husband and wife had an altercation. As he began abusing her in filthy language, Suvatha wanted Sravanthi to call her sister Sujata living nearby.

Even as Sravanthi was beckoning Sujata, they received news that Suvatha had set herself on fire after dousing herself with kerosene. They had rushed her to the government hospital where she died after making her dying declaration.

The last opportunity to crack CAT '07

# CAT 2007

Special Offer Get upto 40% discount on CAT Course Fee

Hurry! offer valid till 30<sup>th</sup> July only!

775 students into IIMs alone - a total of 1775 final selections in CAT 2006

Institute	IIM A	IIM B	IIM C	IIM X	IIM K	Total
TIME Institute	133	193	283	328	391	443

\*Percent selected by IIMs as on 31<sup>st</sup> July 2007

Now you know why TIME is the No.1 Institute in India

Batches Starting 25<sup>th</sup> & 30<sup>th</sup> July

**TIME**

Triumphant Institute of Management Education Pvt. Ltd.  
Door No. 5-37-102, 4/14, Brodipal, GUNTUR. Tel : 2230419

## PUBLIC NOTICE

M/s. Parasakti Cement Industries Limited, Jettipalem Village, Rentachintala Mandal, Guntur District has been accorded Environmental Clearance by the Ministry of Environment and Forests, for expansion of their cement plant vide Ir.No: J-11011/351/2006-1A(1) dated: 17-07-2007 and copies of the clearance letter are available with the A.P. Pollution Control Board and may also be seen at Website of The Ministry of Environment and Forests at <http://envfor.nic.in>

Date: 23-07-2007. Sd/- M.V.RAO  
Director

VIJAYAWADA			
	July	Rise	Set
	Tue (24)	05:45	18:42
	Wed (25)	05:46	18:42
	Thu (26)	05:46	18:42
	Tue (24)	13:52	00:29
	Wed (25)	14:48	01:11
	Thu (26)	15:41	01:59

